




FIG. 1






F16. 4


O.



16. 5A



16 5



=16.

SN 26 02) **ユ**ケル ווז און דוו FPV FW C 160

F16.

/ 112

88/ PAD Frame Deta Type IL EKS

F1G. 8




FIG. 1




FIG. 10




FIG. 11




FIG. 12A





FIG. 128

J 210C



F/G. 13A




FIG. 13B

/ 210 E

MA[47-40] MA[39-32]	MA [23 - 14] MA [23 - 14] MA [15 - 8] MA [7 - 0]	TM [7-0] TM [15-8]	TM [31-24] TM [31-32] TM [42-40]	TM [55-48] TM [63-52]	1 1
byte o					byte 16 RSVD

F16. 14

1		
byte 0	ODA [47-40]	
,	ODA [39-32]	L-260
	ODA [31-24]	7200
	0 BA [23-16]	\
	ODA [15-8]	1
	ODA [7-0]	
byte 6	05A [47-40]	
•	OSA [39-32]	1 2/2
	05A [31-24]	262
	05A [23-16]	
	05A [15-8]	1
byte 11	05A [7-0]	/

FIG. 15




FIG. 16

MDA Count

Multicast Destination

Address 1

Multicast Destination

Address n

FIG. 17

S 210I





FIG. 18



FIC 190







FIG. 190




F16. 20



F16. 21



F16. 22






FIG. 24

to Step 436 (FIG. 23)






FIG. 25



F16. 26







FIG. 28



F16, 29







FIG.



F16. 31





F16. 33

FIG. 34




FIG. 35






FIG. 36



F16, 37



F16. 39


Connection Number Moster SA SA Frame Size Min Frame Time Mar Frame Tix Frame Size Framelife Control 750

FIG. 39A

742

762


F16. 398




F/G 40

	822	E0F2	DT=010 (RE=0) CC=F/ CAP=+1 RWRE=0
	308	F2 HEADER / BODY 1 -> B	FW=01 CAP=F1 SA=F1 DA=F1 IA=F1
	184 814	P ₀ P ₁ SOF2	DT=000 (RE=0) CC=(F/ CMI=I->B FL=Len F2
205	820	OY EOF1 A -> I	DT=010 (RE=0) CC=1 CAP=P RWRE=0
	718	F1 HEADER / BODY A-> I	FW≠1C CAP=P SA=A DA=B IA=I
	2/8	SOF1 A -> I	DT=000 (RE=0) CC=1 (Mi=A->i FL=Len F1


F16. 4




F16, 42




F16. 12



F/G 44



F/G. 45



F16. 46